PP-730 Multi-functional Portable Wireless PA Amplifier

(MP3/Tuner/USB/SD/Recording/Bluetooth)

Product ID: PP-730

Phone: +86-20-39390663 - Email: sales@lyintl.com



Short Description

RMS power: 40W MAX

With FM/USB/SD/MP3/Recording/Bluetooth

2 wired MIC & 1 AUX & 1 guitar input, 1 AUX output

12" full range speaker and 1" 8? horn tweeter

Description Description

All in one design, VHF wireless PA Speaker system, build-in DC 12V 7AH rechargeable battery, easy carring and portable use.

- ? RMS power: 40W MAX
- ? With FM/USB/SD MP3 player/Recording/Bluetooth
- ? 12" full range speaker and 8? 35W horn tweeter

- ? 2 wired MIC inpput, 1 AUX input, 1 guitar input, 1 AUX output
- ? With dual channel wireless MIC input (handheld, laple MIC or headset MIC option)

Specification

Model No.	PP-730
RMS output power	40W MAX
Input	2 wired MIC, 2 wireless MIC input, 1
1	AUX input, 1 guitar input
Output	1 AUX output
Line output level	500mV
MIC input sensitivity	5mV
Line input sensitivity	200mV
Build-in features	Optional VHF wirelss MIC (handheld,
	lapel MIC or headset MIC)
	MP3 player though USB & SD slot input
	With tripod jack at the bottom of the
	machine
	Digital FM tuner
	Wired & wireless MIC input
	Treble & bass control
	Digital echo control
	MIC with priority function
	Individual volume control of
	CD/MP3/AUX/FM&AM/wired/wireless
	MIC
	With LCD display
T.H.D.	<1.0% (at 10W)
Treble & bass adjustment gain	±10dB
S/N ratio	>90dB
Frequency response	40Hz - 20KHz
Frenquency channel	Dual channel
Wireless service range	MAX 35m in VHF
Wireless channel	0-98 infrared auto match
Wireless frequency range	VHF 165~265MHz
Oscillating mode	±0.005% quartz control phase locked
Speaker	12" full range speaker and 1" 8? 35W horn
	tweeter
Operating temperature	-25°C ~ 45°C
Power supply	AC100~250V / 50~60Hz, 1.0A

	External DC 12V 5AH
	Build-in DC 12V 7AH rechargeable
	battery
Rated consumption power	100W
Material	ABS engineering plastic body
Net weight (Kg)	13.1
Gross weight (Kg)	14.5
Product dimension (mm)	310 x 340 x 570
Packing dimention (mm)	423 x 398 x 660

Product Gallery





