

# L-511/L-611/L-811 5"/6"/8" 8? Ceiling Speaker with 1/2" Mylar Tweeter

**Product ID:** L-511/L-611/L-811



## Short Description

Rated power: 20W/30W/40W

Line input: 8?

Woofer speaker driver: 5" or 6" or 8" PP cone, 1/2" Mylar tweeter

## Description

ABS ceiling speaker with 5"/6"/8" woofer speaker driver (foam edge) and a 1/2" Mylar tweeter, 8? input.

## Specification

Model	L-511	L-611	L-811
Rated power	20W	30W	40W
Max power	40W	60W	80W
Impedance	8?		
Sensitivity (1m,1W)	88±3dB		
Frequency response	100-20KHz	90-20KHz	50-20KHz
Woofer speaker driver	5" PP	6" PP (foam edge)	8" PP (foam edge)
Tweeter speaker	1/2" Mylar		

driver			
Product dimension (mm)	∅203x80	∅230x90	∅270x105
Hole for mounting (mm)	∅170	∅200	∅240
Frame material	ABS		
Grille material	Powder coated Iron mesh		
Color	White (RAL9016)		
Product net weight (Kg)	1.0	1.3	1.8
Gross weight	11Kg/8pcs	14Kg/8pcs	13Kg/6pcs
Packing dimension (cm)	50x44x29	54x47x31	61x42x35

## Product Gallery



