

LCR-50 5" In-wall Center Channel 30W LCR Speaker with Dual Woofer

Product ID: LCR-50



Short Description

Power handling (RMS): 30W

Impedance: 8Ω

Speaker driver: 5"x2 graphite woofer + 1" Silk soft tweeter

Slim bezel magnetic grille

Description

Built with Elegant Design, LCR-50 is a set of 2 robustly crafted 5" low frequency speakers and 1 1" high frequency silk soft dome driver for optimal audio performance.

LCR-50 can work on their own, or can be the part of a more sophisticated audio sound system.

Power Handling (RMS): 30W (60W programme)

Woofer: 5" x 2 (125 mm) Graphite cone, rubber surround

Tweeter: 1" (25 mm) Silk soft dome

Specification

Model	LCR-50
Power Handling (RMS)	30W (60W program)
Impedance	8?
Sensitivity	86dB
Frequency response	72Hz-20KHz
Woofer speaker (LF)	5"x2 (125 mm) Graphite cone, Rubber Surround
Tweeter speaker (HF)	1'' (25 mm) Silk soft dome
Product dimension (mm)	442 x 190 x 100
Installation cut out (mm)	415 x 165
Frame material	ABS
Grille	Frameless magnetic grille
Color	White / Black
Product net weight	-
Gross weight	-
Packing dimension (cm)	-

Product Gallery



