

TS-3645 Desktop Active Studio Monitor Speaker

Product ID: TS-3645



Short Description

Power handling: 45W + 28W

Impedance: 8Ω

6.5" x 1" Glass aramid woofer + 1" x 1" Textile soft dome tweeter

Input: RCA, balanced 1/4" TRS, balanced XLR

Description

Tweeter: 1" (25mm) Textile soft dome tweeter

Woofer: 6.5" (165mm) Glass aramid

Amplifier power:

Low: 45W HI: 28W

Frequency response: 20Hz - 20KHz

Input: RCA, balanced 1/4" TRS, balanced XLR

Etched stainless steel mesh

Specification

Model	TS-3645
Power Handling	Low: 45W HI: 28W
Sensitivity	78dB
Frequency response	20Hz-20KHz \pm 3dB
Woofer speaker (LF)	6.5"x1 (165 mm) glass aramid cone
Tweeter speaker (HF)	1" (25 mm) Textile soft dome
Product dimension (mm)	270 x 230 x 320
Frame material	15mm MDF/High impact polystyrene
Grille	Etched stainless steel mesh
Color	White / Black
Power supply	AC110-240V, 50/60HZ
Input terminals	RCA, balanced 1/4"TRS, balanced XLR
Product net weight	8.3Kg
Gross weight	-
Packing dimension (cm)	-

Product Gallery





