

L-507/L-607/L-807 5"/6"/8" 8? Ceiling Speaker with 1/2" Mylar Rotatable Tweeter

Product ID: L-507/L-607/L-807



Short Description

Rated power: 20W/30W/40W

Line input: 8?

Woofer speaker driver: 5" or 6" or 8" PP, 1/2" rotatable Mylar tweeter

Description

ABS ceiling speaker with 5"/6"/8" woofer speaker driver (foam edge) and a 1/2" Mylar rotatable tweeter, 8? input.

Specification

Model	L-507	L-607	L-807
Rated power	20W	30W	40W
Max power	40W	60W	80W
Impedance	8?		
Sensitivity (1m,1W)	87±3dB		
Frequency response	100-20KHz	90-20KHz	50-20KHz
Woofer speaker driver	5" PP	6" PP	8" PP
Tweeter speaker	1/2" Mylar (Rotatable)		

driver			
Product dimension (mm)	∅203x80	∅230x90	∅270x105
Hole for mounting (mm)	∅170	∅200	∅240
Frame material	ABS		
Grille material	Powder coated Iron mesh		
Color	White (RAL9016)		
Product net weight (Kg)	1.0	1.3	1.8
Gross weight	11.5Kg/8pcs	14.3Kg/8pcs	14.3Kg/6pcs
Packing dimension (cm)	50x44x29	54x47x31	61x42x35

Product Gallery



