

H-S1225T 12 Inch 250W Outdoor Weather Resistant 2-Way Full Range Coaxial PA Stadium Horn Speaker

Product ID: H-S1225



Short Description

Rated power: 250W

Line input: 70V/100V

Speaker: 12" bass, 1.5" treble

ABS enclosure, Iron mesh

Outdoor IP56 waterproof

Description

Elevate your outdoor audio experience with our 12" 250W 70V/100V 2-Way Compact Full Range All Weather Resistant Coaxial PA Stadium Horn Speaker H-S1225T.

This high-performance speaker delivers exceptional sound clarity and projection, perfect for large venues, stadiums and other indoor & outdoor environments.

The speaker uses high-power remote horn, two frequency division design, using professional high bass unit, which has efficient sound transmission, strong penetration, and high speed restoration characteristics.

Key Features:

- **Versatile Sizes:**

The speakers available in 8" (100W), 10" (150W), 12" (250W), and 15" (400W), 8 Ohms and 100V input versions to suit different needs and spaces, to match your specific audio requirements.



- **Durable Construction:**

This series enclosure is constructed of high durable ABS plastic material, which makes it waterproof, anti-corrosion and anti-hydrochloric acid, built to withstand harsh weather conditions, perfect for stadiums, arenas, and outdoor events. Also, it is heavily braced to maximize low-frequency performance.

The steel grille is backed with open cell foam and high thread-count mesh, providing protection. The system is rated IP-56, per IEC529 when installed at minimum 5° down-tilt.



- **Superior Sound Quality:**
Build-in 2-way highly weather-resistant full-range coaxial driver, delivers clear, high-fidelity sound across all frequencies.
- **Easy Installation:**
Equipped with a mounting bracket for convenient and secure installation.

This series is engineered for robust performance and reliability, making it an ideal choice for any large-scale public address system, such as sports facilities, racetracks, stadiums, fairgrounds, rodeos, skating rinks, themed entertainment venues, cruise ships, water parks, outdoor background music/paging systems, swimming pools, and other outdoor/indoor venue types.

Upgrade your audio experience with our all-weather PA stadium horn speakers and ensure your message is heard loud and clear, no matter the environment.

Specification

Model	H-S1225	H-S1225T
Rated power	250W	250W
Max power	500W	500W
Line input	8Ω	100V

Sensitivity (1m,1W)	104dB	
Max SPL	130dB	
Frequency response	70Hz-20KHz	
LF driver	12", 75mm voice coil, 190mm magnetic	
HF driver	1.5", 75mm voice coil, 170mm magnetic	
Directivity (HxV)	40°x70°	
Frame material	ABS plastic	
Grille material	Iron	
Bracket material	Iron	
Input connectors	2 x Neutrik speakon NL4	
Waterproof	IP56	
Color	Black/White/Grey	
Dimension	420 x 420 x 460 mm	
Net weight (Kg)	28	28.2
Gross weight (Kg)	-	-
Packing dimension	-	

Product Gallery



