

# HS-5404/HS-5504/HS-5604/HS-5804

## Indoor/Outdoor Pendant Speaker

### Product ID:

HS-5404/HS-5504/HS-5604/HS-5804



### Short Description

Rated power: 20W/30W/40W/50W

Line input: 70V/100V/8?

4"/5"/6½"/8" woofer + silk tweeter

### Description

HS-5 series outdoor on wall mount / ceiling pendant speakers are part of LYINTL's wall mount audio products line with very elegant and sleek housing design.

This seireis have 1 x 1" high frequency tweeter driver, and for low frequency woofer driver, 4", 5", 6.5" and 8" respectively.

Made from carefully selected premium grade material for durability, HS-5 series wall mount speakers come within the superior housing design with cutting edge audio component & parts that will deliver great audio sound results.



## Specification

- ? 3 mounting method: on wall mounted, ceiling pendant, and in-ground stand (8" only)
- ? Build-in 70V/100V transformer and 8? power taps
- ? 1×4", 1×5", 1×6½" or 1x8" graphite woofer speaker driver and 1" silk tweeter
- ? Rated output power: 20W, 30W, 40W or 50W
- ? White and black color for option



## Specification

Model	HS-5404	HS-5504	HS-5604	HS-5804
Rated power	20W	30W	40W	50W
Power taps	2.5/5/10/20W/0/8?	3.7/7.5/15/30W/0/8?	5/10/20/40W/0/8?	6.25/12.5/25/50W/0/8?
Line input	70V/100V/8?			
Output SPL	83±3dB	84±3dB	85±3dB	86±3dB
Freq. response	80Hz~20KHz	98Hz~20KHz	51Hz~20KHz	44Hz~20KHz
Woofer speaker	4"x1 Graphite cone	5"x1 Graphite cone	6½"x1 Graphite cone	8"x1 Graphite cone
Tweeter driver	0.75"x1 silk dome	1"x1 silk dome	1"x1 silk dome	1.1"x1 silk dome
Waterproof	-			
Dimension (H*W*D) (mm)	155x215	190x250	230x300	270x343
Net weight (Kg)	-	-	-	-
Gross weight (Kg)	-	-	-	-
Packing dimension (H*W*H) (cm)	-	42x49x26 (2pcs)	-	49x38x36 (1pc)

## Product Gallery



