

# LCR-51/LCR-61/LCR-81 5"/6.5"/8" In-wall Center Channel LCR Speaker with Dual Woofer

**Product ID:** LCR-51/LCR-61/LCR-81



## Short Description

Power handling (RMS): 30W/40W/50W

Impedance: 8Ω

Speaker driver: 5"/6.5"/8" x 2 graphite woofer + 1" Titanium tweeter

Frameless magnetic grille

## Description

Built with Elegant Design, LCR-51 series is a set of 2 robustly crafted 5"/6.5"/8" low frequency speakers and 1x1" high frequency Titanium dome driver for optimal audio performance. The tweeter used in this series in-wall speakers are crafted to deliver crisp and clear sound regardless of which direction they are facing, with premium grade quality.

This series can work on their own, or can be the part of a more sophisticated audio sound system.

## LCR-51

Power Handling (RMS): 30W (60W program)

Woofer: 5''x2 (125 mm) Graphite cone, rubber surround

Tweeter: 1'' (25 mm) Titanium dome

### LCR-61

Power Handing (RMS): 40W (80W programe)

Woofer: 6.5''x2 (125 mm) Graphite cone, rubber surround

Tweeter: 1'' (25 mm) Titanium dome

### LCR-81

Power Handing (RMS): 50W (100W programe)

Woofer: 8''x2 (125 mm) Graphite cone, rubber surround

Tweeter: 1'' (25 mm) Titanium dome

### Specification

Model	LCR-51	LCR-61	LCR-81
Power Handing (RMS)	30W (60W program )	40W (80W program )	50W (100W progra m)
Impedance	8?		
Sensitivity	86dB	87dB	87dB
Frequency response	65Hz-20KHz	51Hz-20KHz	43Hz-20KHz
Woofer speaker (LF)	5"x2 (125 mm) Graphite cone, Rubber Surround	6.5"x2 (125 mm) Graphite cone, Rubber Surround	8"x2 (125 mm) Graphite cone, Rubber Surround
Tweeter speaker (HF)	1'' (25 mm) Titanium dome		
Product dimension (mm)	418 x 175 x 87	481 x 210 x 100	556 x 255 x 100
Installation cut out (mm)	394 x 153	458 x 188	534 x 233
Frame material	ABS		
Grille	Frameless magnetic grille		
Color	White / Black		
Product net weight	-		
Gross weight	-		
Packing dimension (cm)	-		

### Product Gallery



